

ENERGISE

YOUR PERFORMANCE

HIKOKI T-PWR BATTERY SERIES

THE NEW TABLESS CELL TECHNOLOGY



Ready for next-level energy? The HIKOKI T-PWR battery is your power source, engineered to supercharge your performance and ready to conquer your challenging goals.

MAKE. MOVE. GO

HIKOKI

COMPATIBLE WITH 180+ 36V AND 18V HIKOKI POWER TOOLS

MORE POWER

MAXIMIZE YOUR PRODUCTIVITY

Go for more power with the HiKOKI T-PWR battery, delivering ease and efficiency. You'll finish projects faster, giving you extra time to focus on new tasks or enjoy some personal time after a hard day's work.

FASTER WORKING

WORK SMARTER, NOT HARDER

Keep pushing, keep building, and let nothing slow you down. Complete heavy duty projects with fewer interruptions. Finish strong and make time for tackling your next big project or taking a break.

LONGER RUNTIME


GO FURTHER

Go further and keep your tools running cooler and stronger, ready to perform during heavy-duty tasks. Trust your gear, leave doubt behind, and face the toughest challenges head-on.




TABLESS CELL TECHNOLOGY

The HiKOKI T-PWR Tabless Battery (BSL3640MVT) has been built with less internal resistance allowing for more power to flow from the tabless battery to the power tool increasing both the overload capacity and tool speed.



Standard cell



Tabless cell

2160W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
TABLESS CELLS



BSL3640MVT

HIGH OUTPUT TABLESS BATTERY

1080W

MAX OUTPUT

5.0AH (18V)

2.5AH (36V)

18650

HIGH OUTPUT
CELLS



BSL36A18X

HIGH OUTPUT BATTERY

1440W

MAX OUTPUT

8.0AH (18V)

4.0AH (36V)

21700

HIGH OUTPUT
CELLS



BSL36B18X

HIGH OUTPUT BATTERY

Available versions

PRODUCTNAME: 1x BSL3640MVT battery, cardboard box

PRODUCTNAME: 2x BSL3640MVT battery, cardboard box

PRODUCTNAME: 2x BSL3640MVT battery, fast charger
UC36YSL2, cardboard box

ENERGISE YOUR PERFORMANCE

UP TO

50%

MORE POWER*

*Comparison of BSL3640MVT and
BSL3640MVB (2160W output)
batteries with BSL36B18X and
BSL36B18 (1440W output) batteries.

UP TO

100%

LONGER RUNTIME*

*Internal test results of BSL36B18X
and BSL36B18 batteries at 40A
continuous discharge.

UP TO

75%

MORE CUTS IN WOOD*

*Use C3606DB 36V circular saw
to cut Northern Japanese hemlock
(T60xL300 mm) with 60 N of pressing
force. Compared to BSL36B18X/
BSL36B18 battery.

2160W


MAX. POWER OUTPUT

1500

RECHARGE CYCLES



CHARGE FASTER. *GO FURTHER.*



UP TO
30%
FASTER CHARGING*

FAST CHARGER UC36YSL2

Get back to work in no time with the newest HiKOKI Fast Charger. The UC36YSL2 delivers lightning-fast charging, thanks to its advanced cooling system and overcharging and overheating protection. Its bright charge status light makes it easy to check the battery anywhere on the worksite, always signaling that you're ready to start your next project. Go get yours!

* VS. UC18YSL3. When charging a BSL3640MVT/BSL36B18X/BSL36B18 battery.

HiKOKI

**HiKOKI Power Tools
Country**

Adres line 1
Adres line 2

Phone number
Mail address

hikoki-powertools.eu